

LEDWISE TECHNOLOGY LIMITED TEST REPORT


LUMINAIRE PHOTOMETRIC TEST REPORT

Report number:


MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2

DATA OF LAMP		Imax(cd)	113.5	S/MH(C0/180)	1.31
MODEL	2835	EFFICIENCY(%)	41.2	S/MH(C90/270)	1.28
NOMINAL POWER(W)	3	TOTAL FLUX(lm)	355.70	Voltage(V)	12.00
RATED VOLTAGE(V)	12	EFFICIENCY(lm/W)	112.6	Current(A)	0.262
NOMINAL FLUX(lm)	864.2	η up(%)	0.5	Power(W)	3.160
LAMPS QUANTITY	1	η down(%)	40.7	Power Factor(PF)	1.000
TEST VOLTAGE(V)	12.0	Effective Flux(lm)	0.0	EEI	0.000

LUMINOUS INTENSITY DISTRIBUTION



LUMINOUS INTENSITY DISTRIBUTION



Test System: HOP00 HPG1800
Temperature: 25.3 DEG
Operators:
Test Date: 2019年09月05日


Test Set: 8.0 deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.320 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

AVERAGE AND CENTER E Figure

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
 Temperature: 25.3DEG
 Operators:
 Test Date: 2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity: 65.0%
 Test Distance: 6.320 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ZONAL FLUX DIAGRAM

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE:软光条	WEIGHT:
SPECIFICATION:4000K	DIMENSION: 8MM*0.6M	SERIAL No.:2

γ	C0	C45	C90	C135	C180	C225	C270	C315	γ	zone	total
10.0	112.2	110.8	111.0	110.9	111.5	112.5	112.6	112.7	0- 10	10.74	10.74
20.0	107.6	106.6	105.3	106.3	106.9	108.6	108.4	108.8	10- 20	31.04	41.79
30.0	100.2	97.69	96.94	97.37	98.97	101.4	102.4	101.4	20- 30	47.95	89.74
40.0	90.66	85.75	86.31	85.15	87.11	91.94	91.34	92.22	30- 40	59.11	148.8
50.0	75.85	70.33	71.13	69.89	71.73	77.48	76.76	77.84	40- 50	63.02	211.8
60.0	58.59	52.32	53.32	51.84	53.68	59.95	59.03	60.43	50- 60	58.45	270.3
70.0	38.46	32.19	33.23	31.75	33.27	39.54	38.94	40.10	60- 70	45.65	315.9
80.0	17.73	12.54	13.58	12.26	11.98	18.17	17.65	18.69	70- 80	26.85	342.8
90.0	2.915	0.879	2.037	0.919	0.399	3.474	2.636	3.754	80- 90	8.644	351.4
100.0	1.158	0.280	1.158	0.200	0.359	1.198	0.160	1.238	90-100	1.243	352.7
110.0	1.118	0.320	0.999	0.240	0.399	0.959	0.200	1.038	100-110	0.719	353.4
120.0	0.839	0.240	0.879	0.280	0.439	0.919	0.240	0.999	110-120	0.616	354.0
130.0	0.839	0.280	0.799	0.240	0.399	0.839	0.320	0.799	120-130	0.502	354.5
140.0	0.679	0.280	0.799	0.280	0.479	0.679	0.160	0.719	130-140	0.413	354.9
150.0	0.719	0.200	0.599	0.320	0.519	0.719	0.320	0.759	140-150	0.317	355.3
160.0	0.599	0.320	0.599	0.240	0.479	0.679	0.280	0.599	150-160	0.230	355.5
170.0	0.679	0.240	0.559	0.359	0.479	0.519	0.280	0.439	160-170	0.136	355.6
180.0	0.519	0.320	0.559	0.439	0.559	0.479	0.359	0.519	170-180	0.043	355.7
DEG	LUMINOUS INTENSITY:cd									UNIT:lm	

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.320 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT


LUMINANCE LIMITATION CURVES

Report number:

MANUFACTURER:	Address:		
NAME: LTR-E-12V-1.5W-40K	TYPE:软光条	WEIGHT:	
SPECIFICATION:4000K	DIMENSION: 8MM*0.6M	SERIAL No.:2	

LUMINANCE LIMITATION CURVES

GLARE	CLASS	ILLUMINANCE (lx)							
1.15	A	2000	1000	500	<=300				
1.50	B		2000	1000	500	<=300			
1.85	C			2000	1000	500	<=300		
2.20	D				2000	1000	500	<=300	
2.55	E					2000	1000	500	<=300



LUMINANCE cd/(m2)		
G (DEG)	C0/180	C90/270
85	1045	683
80	1021	782
75	1076	883
70	1125	972
65	1159	1033
60	1172	1066
55	1183	1093
50	1180	1107
45	1184	1117

Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年09月05日


Test Set: 8.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.320 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
Temperature: 25.3DEG
Operators:
Test Date: 2019年09月05日


Test Set: 8.0deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.320 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOLUX DIAGRAM

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
Temperature: 25.3DEG
Operators:
Test Date: 2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.320 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

AREA LUMINOUS FLUX

Report number:

MANUFACTURER:	Address:		
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:	
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2	

90	AREA FLUX DIAGRAM																	UNIT:1m			Φ t	Φ a
	0.00	0.02	0.05	0.10	0.17	0.21	0.25	0.28	0.29	0.29	0.28	0.26	0.22	0.18	0.12	0.08	0.04	0.01	2.85	1.12		
80	0.01	0.04	0.12	0.25	0.42	0.57	0.70	0.80	0.85	0.85	0.80	0.71	0.58	0.43	0.28	0.15	0.06	0.01	7.64	7.32		
70	0.01	0.07	0.21	0.44	0.72	0.99	1.22	1.39	1.47	1.48	1.39	1.23	1.00	0.74	0.47	0.25	0.09	0.02	13.2	13.0		
60	0.01	0.09	0.30	0.62	1.00	1.39	1.70	1.93	2.05	2.06	1.94	1.71	1.40	1.03	0.66	0.34	0.13	0.02	18.4	18.3		
50	0.01	0.12	0.39	0.79	1.25	1.73	2.11	2.39	2.54	2.54	2.40	2.12	1.74	1.28	0.83	0.44	0.16	0.02	22.9	22.8		
40	0.02	0.15	0.47	0.92	1.45	1.99	2.44	2.75	2.92	2.92	2.75	2.45	2.01	1.49	0.97	0.51	0.18	0.03	26.4	26.4		
30	0.02	0.17	0.52	1.02	1.60	2.17	2.65	3.00	3.19	3.19	3.00	2.66	2.21	1.64	1.07	0.57	0.21	0.03	28.9	28.9		
VERTICAL (DEG)	0.02	0.18	0.55	1.08	1.68	2.28	2.79	3.16	3.34	3.34	3.16	2.80	2.32	1.74	1.14	0.61	0.22	0.03	30.5	30.4		
	0.02	0.19	0.57	1.10	1.72	2.32	2.85	3.21	3.41	3.42	3.23	2.87	2.37	1.79	1.18	0.63	0.23	0.03	31.1	31.1		
	0.02	0.18	0.56	1.09	1.70	2.30	2.83	3.18	3.38	3.38	3.20	2.85	2.35	1.77	1.17	0.63	0.23	0.03	30.9	30.8		
	0.02	0.17	0.54	1.05	1.63	2.22	2.72	3.08	3.27	3.27	3.09	2.74	2.26	1.69	1.11	0.60	0.22	0.03	29.7	29.7		
	0.02	0.16	0.49	0.97	1.51	2.06	2.53	2.88	3.06	3.06	2.88	2.54	2.09	1.56	1.02	0.55	0.20	0.03	27.6	27.6		
	0.01	0.14	0.43	0.85	1.34	1.83	2.26	2.59	2.77	2.77	2.60	2.27	1.85	1.38	0.90	0.48	0.17	0.03	24.7	24.6		
	0.01	0.11	0.35	0.71	1.12	1.54	1.92	2.21	2.37	2.37	2.21	1.93	1.55	1.15	0.75	0.40	0.14	0.02	20.9	20.8		
	0.01	0.08	0.26	0.53	0.86	1.19	1.50	1.74	1.87	1.87	1.75	1.51	1.20	0.88	0.57	0.30	0.11	0.02	16.3	16.2		
	0.01	0.05	0.17	0.35	0.57	0.81	1.03	1.20	1.30	1.30	1.20	1.03	0.82	0.59	0.38	0.21	0.08	0.02	11.1	10.9		
	0.00	0.03	0.08	0.18	0.29	0.42	0.54	0.63	0.69	0.69	0.64	0.54	0.42	0.30	0.20	0.12	0.05	0.01	5.84	5.19		
-30	0.00	0.01	0.03	0.05	0.08	0.12	0.15	0.18	0.20	0.20	0.18	0.16	0.12	0.09	0.07	0.05	0.03	0.01	1.75	0.15		
-40																						
-50																						
-60																						
-70																						
-80																						
-90																						
	-90	-80	-70	-60	-50	-40	-30	-20	HORIZONTAL (DEG)				20	30	40	50	60	70	80	90		
Φ t	0.21	1.96	6.10	12.1	19.1	26.1	32.2	36.6	39.0	39.0	36.8	32.4	26.5	19.7	12.9	6.91	2.55	0.40	356			
Φ a	0.00	1.62	5.79	11.8	18.8	25.9	31.9	36.3	38.7	38.7	36.5	32.1	26.2	19.5	12.6	6.63	2.26	0.16		347		

Test System: HOPPO HPG1800
 Temperature: 25.3DEG
 Operators:
 Test Date: 2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity: 65.0%
 Test Distance: 6.320 m
 Remarks:


LEDWISE TECHNOLOGY LIMITED TEST REPORT

CU AND LUMINAIRE BUDGETARY ESTIMATE DIAGRAM

Report number:

MANUFACTURER:	Address:		
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条		WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M		SERIAL No.: 2

pcc	80%			70%			50%			30%			10%			0
p _w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0
p _{fc}	20%			20%			20%			20%			20%			0
RCR	RCR:Room Cavity Ratio															



Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.320 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

WEC AND CCEC

Report number:

MANUFACTURER:	Address:		
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:	
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2	

ρ_{cc}	80%			70%			50%			30%			10%			0	
ρ_w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0	
ρ_{fc}	20%			20%			20%			20%			20%			0	
RCR	RCR:Room Cavity Ratio						Wall Exitance Coefficients(WEC)										
0.0																	
1.0	.132	.075	.024	.129	.074	.023	.123	.071	.023	.118	.068	.022	.113	.066	.021		
2.0	.123	.068	.021	.121	.066	.020	.116	.064	.020	.111	.062	.019	.107	.060	.019		
3.0	.114	.061	.018	.111	.060	.018	.107	.058	.018	.103	.056	.017	.099	.055	.017		
4.0	.105	.054	.016	.102	.054	.016	.098	.052	.016	.095	.051	.015	.091	.050	.015		
5.0	.096	.049	.014	.095	.049	.014	.091	.047	.014	.088	.046	.014	.085	.045	.014		
6.0	.089	.045	.013	.088	.044	.013	.084	.043	.013	.081	.042	.012	.079	.041	.012		
7.0	.083	.041	.012	.081	.041	.012	.079	.040	.011	.076	.039	.011	.073	.038	.011		
8.0	.077	.038	.011	.076	.037	.011	.073	.037	.010	.071	.036	.010	.069	.035	.010		
9.0	.072	.035	.010	.071	.035	.010	.069	.034	.010	.067	.033	.010	.065	.033	.009		
10.0	.068	.033	.009	.067	.032	.009	.065	.032	.009	.063	.031	.009	.061	.031	.009		

ρ_{cc}	80%			70%			50%			30%			10%			0	
ρ_w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0	
ρ_{fc}	20%			20%			20%			20%			20%			0	
RCR	RCR:Room Cavity Ratio						Ceiling Cavity Exitance Coefficients(CCEC)										
0.0	.082	.082	.082	.070	.070	.070	.048	.048	.048	.028	.028	.028	.009	.009	.009		
1.0	.078	.068	.059	.067	.058	.051	.046	.040	.035	.026	.023	.020	.008	.007	.007		
2.0	.075	.058	.044	.064	.050	.038	.044	.035	.026	.025	.020	.015	.008	.007	.005		
3.0	.072	.051	.034	.062	.044	.029	.042	.030	.021	.024	.018	.012	.008	.006	.004		
4.0	.069	.045	.028	.059	.039	.024	.041	.027	.017	.024	.016	.010	.008	.005	.003		
5.0	.066	.041	.023	.057	.036	.020	.039	.025	.014	.023	.015	.008	.007	.005	.003		
6.0	.063	.038	.020	.054	.033	.017	.037	.023	.012	.022	.013	.007	.007	.004	.002		
7.0	.060	.035	.017	.052	.030	.015	.036	.021	.011	.021	.013	.006	.007	.004	.002		
8.0	.057	.033	.016	.049	.028	.014	.034	.020	.010	.020	.012	.006	.006	.004	.002		
9.0	.055	.031	.014	.047	.026	.012	.033	.019	.009	.019	.011	.005	.006	.004	.002		
10.0	.052	.029	.013	.045	.025	.011	.031	.018	.008	.018	.010	.005	.006	.003	.002		

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.320 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

Uncorrected UGR Table

Report number:

MANUFACTURER:						Address:					
NAME: LTR-E-12V-1.5W-40K						TYPE:软光条			WEIGHT:		
SPECIFICATION:4000K						DIMENSION: 8MM*0.6M			SERIAL No.:2		
ceiling/cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3	
walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3	
working plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
Room dimensions		Viewed crosswise					Viewed endwise				
x = 2H y = 2H	13.4	14.9	13.7	15.1	15.4	13.0	14.6	13.3	14.8	15.0	
	3H	15.0	16.5	15.4	16.7	17.0	14.5	15.9	14.8	16.2	16.5
	4H	15.7	17.1	16.0	17.3	17.6	15.1	16.4	15.4	16.7	17.0
	6H	16.2	17.5	16.6	17.8	18.1	15.4	16.7	15.8	17.0	17.3
	8H	16.4	17.6	16.7	17.9	18.2	15.5	16.7	15.9	17.0	17.4
	12H	16.5	17.7	16.9	18.0	18.3	15.6	16.7	15.9	17.1	17.4
4H	2H	13.9	15.2	14.2	15.5	15.8	13.6	15.0	14.0	15.2	15.5
	3H	15.7	16.9	16.1	17.2	17.6	15.3	16.5	15.7	16.8	17.1
	4H	16.5	17.6	16.9	17.9	18.3	16.0	17.0	16.3	17.4	17.7
	6H	17.1	18.1	17.5	18.5	18.9	16.4	17.4	16.8	17.8	18.1
	8H	17.3	18.2	17.8	18.6	19.0	16.5	17.4	16.9	17.8	18.2
	12H	17.5	18.3	18.0	18.7	19.2	16.6	17.4	17.1	17.8	18.3
8H	4H	16.7	17.6	17.1	18.0	18.4	16.2	17.1	16.6	17.5	17.9
	6H	17.4	18.2	17.9	18.6	19.0	16.7	17.5	17.2	17.9	18.4
	8H	17.7	18.4	18.2	18.8	19.3	16.9	17.6	17.4	18.0	18.5
	12H	18.0	18.5	18.5	19.0	19.5	17.1	17.6	17.6	18.1	18.6
12H	4H	16.7	17.5	17.1	17.9	18.3	16.2	17.0	16.6	17.4	17.9
	6H	17.4	18.1	17.9	18.5	19.0	16.8	17.4	17.3	17.9	18.4
	8H	17.7	18.3	18.2	18.8	19.3	17.0	17.5	17.5	18.0	18.5
Variations with the observer position at spacings:											
S = 1.0H	+ 0.1 / - 0.1					+ 0.1 / - 0.1					
1.5H	+ 0.1 / - 0.2					+ 0.2 / - 0.3					
2.0H	+ 0.2 / - 0.3					+ 0.3 / - 0.3					

CIE Pub.117 Corrected 864.2 lm Total Lamp Luminous Flux.(8log(F/F0) = -0.5)

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.320 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

UTILIZATION FACTORS TABLE

Report number:

MANUFACTURER:	Address:		
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:	
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2	

REFLECTANCE										
Ceiling	0.8	0.8	0.8	0.7	0.7	0.7	0.5	0.5	0.5	0
Walls	0.7	0.5	0.3	0.7	0.5	0.3	0.7	0.5	0.3	0
Working plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0
ROOM INDEX	UTILIZATION FACTORS(PERCENT) $k(RI) \times RCR = 5$									
$k = 0.60$	23	18	15	23	18	15	22	18	15	12
0.80	27	22	19	27	22	19	26	22	19	16
1.00	31	26	23	30	26	23	29	26	22	19
1.25	34	29	26	33	29	26	32	28	26	22
1.50	36	31	28	35	31	28	34	30	28	25
2.00	39	35	32	38	34	32	36	33	31	28
2.50	40	37	34	39	36	34	38	35	33	29
3.00	42	39	36	41	38	36	39	37	35	31
4.00	43	41	39	42	40	38	40	39	37	33
5.00	44	42	41	43	41	40	41	40	39	35
ROOM INDEX	UF(total)									Direct
According to DIN EN 13032-2 2004			Suspended					SHRNOM = 1.25		

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年09月05日


Test Set: 8.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.320 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2



Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年09月05日



Test Set: 8.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.320 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOLUX DIAGRAM

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2




Test System: HOP00 HPG1800
Temperature: 25.3 DEG
Operators:
Test Date: 2019年09月05日

Test Set: 8.0 deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.320 m
Remarks:

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE: 软光条	WEIGHT:
SPECIFICATION: 4000K	DIMENSION: 8MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
Temperature: 25.3DEG
Operators:
Test Date: 2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.320 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

LUMINOUS DISTRIBUTION INTENSITY DATA

Report number:

MANUFACTURER:	Address:	
NAME: LTR-E-12V-1.5W-40K	TYPE:软光条	WEIGHT:
SPECIFICATION:4000K	DIMENSION: 8MM*0.6M	SERIAL No.:2

UNIT: cd

C(DEG) γ (DEG)	0	45	90	135	180	225	270	315
0.0	114	113	113	113	114	113	113	113
5.0	113	112	113	113	113	113	113	113
10.0	112	111	111	111	112	113	113	113
15.0	110	109	109	108	109	111	111	111
20.0	108	107	105	106	107	109	108	109
25.0	105	103	102	102	104	105	107	106
30.0	100	97.6	96.9	97.3	98.9	101	102	101
35.0	95.0	91.9	92.4	91.7	93.4	96.4	97.0	96.5
40.0	90.6	85.7	86.3	85.1	87.1	91.9	91.3	92.2
45.0	83.7	78.3	79.0	77.9	79.9	85.1	84.3	85.4
50.0	75.8	70.3	71.1	69.8	71.7	77.4	76.7	77.8
55.0	67.8	61.8	62.7	61.4	63.2	69.3	68.4	69.6
60.0	58.5	52.3	53.3	51.8	53.6	59.9	59.0	60.4
65.0	48.9	42.1	43.6	41.7	43.3	49.8	49.0	50.4
70.0	38.4	32.1	33.2	31.7	33.2	39.5	38.9	40.1
75.0	27.8	21.8	22.8	21.3	22.0	28.7	27.9	29.1
80.0	17.7	12.5	13.5	12.2	11.9	18.1	17.6	18.6
85.0	9.10	4.95	5.95	4.83	4.07	9.50	8.78	9.94
90.0	2.91	0.88	2.03	0.92	0.40	3.47	2.63	3.75
95.0	1.39	0.20	1.35	0.24	0.44	1.35	0.40	1.43
100.0	1.15	0.28	1.15	0.20	0.36	1.19	0.16	1.23
105.0	1.19	0.28	1.00	0.20	0.36	1.00	0.20	1.11
110.0	1.11	0.32	1.00	0.24	0.40	0.96	0.20	1.03
115.0	1.11	0.24	0.88	0.20	0.32	0.92	0.24	0.96
120.0	0.84	0.24	0.88	0.28	0.44	0.92	0.24	1.00
125.0	0.84	0.28	0.84	0.28	0.32	0.76	0.16	0.80
130.0	0.84	0.28	0.80	0.24	0.40	0.84	0.32	0.80
135.0	0.72	0.32	0.80	0.32	0.36	0.76	0.24	0.72
140.0	0.68	0.28	0.80	0.28	0.48	0.68	0.16	0.72
145.0	0.76	0.24	0.64	0.16	0.48	0.64	0.32	0.72
150.0	0.72	0.20	0.60	0.32	0.52	0.72	0.32	0.76
155.0	0.68	0.28	0.68	0.32	0.44	0.64	0.24	0.68
160.0	0.60	0.32	0.60	0.24	0.48	0.68	0.28	0.60
165.0	0.76	0.28	0.44	0.28	0.52	0.68	0.40	0.64
170.0	0.68	0.24	0.56	0.36	0.48	0.52	0.28	0.44
175.0	0.56	0.32	0.60	0.32	0.44	0.44	0.40	0.48
180.0	0.52	0.32	0.56	0.44	0.56	0.48	0.36	0.52

Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年09月05日

Test Set: 8.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.320 m
Remarks: